

XP-002345778

NOKIA

The Nokia TETRA Primer

What is TETRA? Why Nokia TETRA?

The information in this document is subject to change without notice and describes only the product defined in the introduction of this documentation. This document is intended for the use of Nokia's customers only for the purposes of the agreement under which the document is submitted, and no part of it may be reproduced or transmitted in any form or means without the prior written permission of Nokia. The document has been prepared to be used by professional and properly trained personnel, and the customer assumes full responsibility when using it. Nokia welcomes customer comments as part of the process of continuous development and improvement of the documentation.

The information or statements given in this document concerning the suitability, capacity, or performance of the mentioned hardware or software products cannot be considered binding but shall be defined in the agreement made between Nokia and the customer. However, Nokia has made all reasonable efforts to ensure that the instructions contained in the document are adequate and free of material errors and omissions. Nokia will, if necessary, explain issues which may not be covered by the document.

Nokia's liability for any errors in the document is limited to the documentary correction of errors. NOKIA WILL NOT BE RESPONSIBLE IN ANY EVENT FOR ERRORS IN THIS DOCUMENT OR FOR ANY DAMAGES, INCIDENTAL OR CONSEQUENTIAL (INCLUDING MONETARY LOSSES), that might arise from the use of this document or the information in it.

This document and the product it describes are considered protected by copyright according to the applicable laws.

NOKIA logo is a registered trademark of Nokia Oyj.

Other product names mentioned in this document may be trademarks of their respective companies, and they are mentioned for identification purposes only.

Copyright © Nokia Oyj 2002. All rights reserved.

Contents

1	TETRA - the new global radio communications standard.....	6
1.1	From proprietary solutions to open standards.....	7
1.2	From conventional analogue systems to digital TETRA.....	7
1.3	From small private networks to nationwide	8
2	Special features for professionals.....	9
2.1	Push-to-talk operation	9
2.2	Communicating in groups.....	10
2.3	Managing fleet operations – dispatching.....	10
2.3.1	Integrated command and control solutions	11
2.4	Security	12
2.5	Frequency efficient technology.....	13
3	Data services in Nokia TETRA	15
3.1	Instant access to data	15
3.2	Professional WAP	16
3.3	Value added third party applications	17
3.4	Complete solution portfolio.....	18
3.5	TWISP – a worldwide network of solutions	18
4	From a system to a solution – The Whole Product.....	19
4.1	Nokia TETRA - the wireless backbone of a public safety communication system.....	19
5	Use of multi-agency networks improves efficiency and co-operation between authorities	21
5.1	Multi-agency use for seamless co-operation.....	21
5.2	Multi-agency network means shared investment and improved economy.....	22
5.2.1	Capital expenditure (CAPEX).....	22
5.2.2	Implementation expenditure (IMPEX)	23
5.2.3	Operating expenditure (OPEX)	23
6	Interoperability and Inter-System-Interface	25
6.1	Interoperability for an open TETRA market.....	25
6.2	Inter-System-Interface for cross-border communications	25
7	Nokia has a complete TETRA offering	27
7.1	Nokia TETRA – Acknowledged quality.....	27
8	Meeting increasing demands - standardisation work continues	29

Summary of changes

1

TETRA - the new global radio communications standard

For decades, radio communication has been the solution for flexible and efficient communication in the field. Radio enables instant communication between two or more people simply by pressing a button. This push-to-talk feature and the ability of people to communicate in groups is fundamental for authority communication.

In most Public Safety organisations around the world, communication is a hot item - in many countries old equipment must be renewed during the next few years. The change from conventional analogue to intelligent digital radio networks is a big one, involving both technical and financial complexity, especially for the users.

One of the leading standards in digital radio is TETRA, an abbreviation of TErrestrial Trunked RAdio. It has been defined and approved by the European Telecommunications Standards Institute (ETSI) to be the only official European Standard for digital Professional Mobile Radio (PMR). Accordingly, TETRA is a global standard for radio communication in the same way that GSM is the mobile telephony standard.

In their every day activities, public safety organisations need various kinds of communications services. TETRA offers both the usual cellular services as well as professional radio services such as group communication, field workforce management services (dispatching) and efficient data services. TETRA is a unique combination of group voice communications, mobile telephony and mobile data services specifically designed for authority use.

TETRA is a purpose built technology that offers public safety and security organisations major advantages over conventional radio systems to. It was developed to meet the needs of the most demanding professional radio users who need fast one-to-one and one-to-many radio communication using voice and data in their daily work. Users are typically public safety and security organisations such as police, fire and rescue forces. TETRA fulfils the needs of professional users and replaces old analogue and proprietary radio communication systems that no longer meet professional radio-communication needs.

1.1 From proprietary solutions to open standards

Even today, most police, fire, rescue and border services have their own, often-incompatible private radio systems, which are based on vendor specific proprietary technologies. These are usually analogue systems with no security features. In some cases, authorities are dependent on commercial services with no guarantee of availability in the event of a major catastrophe.

The world is changing fast and communications methods need to improve accordingly. With the introduction of TETRA, today's authorities can source their network from many vendors, ensuring greater choice, more cost-effectively and with higher quality. Interoperability between all vendors is vital for the market success of users, operators and manufacturers and TETRA meets this requirement also.

1.2 From conventional analogue systems to digital TETRA

A conventional radio system consists of one or more base stations, which receive and amplify the weak signal received from a radiotelephone. For this reason they are often also known as repeater systems. In a conventional radio system there is no intelligent switching in the network. All radio users who have tuned their radio to the same frequency i.e. channel, can hear each other and there is no call privacy. The users have to agree in advance, which channel they use for communication. Channel selection is typically done with a rotary knob on top of the radio.

In TETRA, groups of users are defined in the TETRA users' radios in advance and communication between group members takes place simply by selecting the group with a rotary switch or menu keys and pressing the press-to-talk button on the radio.

Only those radio users who belong to the same group can hear and participate in the communication. The channel is of no interest to the radio user, because the TETRA system automatically puts the group members onto a free channel. The same applies to a person-to-person i.e. individual calls.

In a conventional radio system, individual, private calls are not possible. In TETRA, individual calls work the same way as in cellular systems such as GSM. Call privacy is also granted.

Finally, conventional radio systems are in most cases analogue systems. TETRA is fully digital, which means better voice quality, more advanced data features and more efficient use of valuable frequency spectrum.

In the past, trunked radio technology was only available as a proprietary solution from specific manufacturers. This resulted in a large variety of overlapping private networks, each with its own frequencies and ways of

working. The possibilities for co-operation were minimal. This was also an expensive way to build networks.

1.3 From small private networks to nationwide

Like cellular networks, PMR networks also consist of base stations, which are connected to mobile exchanges. PMR networks can be divided into three main categories: private networks, commercial PMR networks and public safety and security networks.

Private networks are owned and operated by the organisations themselves. These networks may be relatively small, consisting of a few base stations covering a limited geographical area like an industrial plant, but can also cover thousands of square meters like in the case of oil fields or power companies.

Commercial networks are often also called Professional Cellular networks, because their operating philosophy is similar to commercial cellular networks such as GSM. The operator invests in the network and sells the PMR service to professional organisations such as transportation, taxi and bus companies, security services, courier companies and similar organisations, which need the specialised services provided by the PMR network. Professional Cellular networks are typically nationwide networks.

Public safety and security networks are typically nationwide networks, which provide PMR communication services for police, fire, ambulance and other public rescue services. These network investments are typically financed from public funds.

2

Special features for professionals

Typical reasons to adopt PMR services are related to the need for special functionality such as group calls, instant communications with a sub-second call set-up delay, security and specialised dispatching services. The latter means managing the organisation's field operations and related communications. For public safety organisations, security is a fundamental issue and includes authentication of the users in the network as well as encryption of the voice and data communication itself.

For many organisations, having control of their own network resources is crucial and in many cases PMR services also offer the lowest overall communication costs.

2.1

Push-to-talk operation

Instant call connection and push-to-talk operation to set up a call is probably one of the most important features in TETRA. In cellular networks such as GSM, calls are mostly one-to-one i.e. individual calls, which are initiated either by dialling the called-party number using the phone's keypad or using the speed dial key. In both cases the call set-up time i.e. the delay from dialling until the called-party's phone starts ringing is typically in the range of a couple of seconds. The B-party has to press the answer button on his/her phone to answer the call. This kind of communication is too slow to match the quick pace of communication needed by professional users such as police or firemen.

In TETRA, a call is initiated with a push-to-talk button and connection is established in less than half a second. In addition, there is no need to answer the call – the calling party can start talking right away.

2.2 Communicating in groups

Another differentiating feature between TETRA and cellular services is group communication. In addition to individual calls, TETRA also supports group calls. The members of the groups are predefined and a group may consist of tens or even hundreds of members. A TETRA handset typically has an easy way to select the group, typically by using a rotary knob or easy-to-use menu.

The selected group is then the default communication group for the user. The call is initiated by pressing the push-to-talk button and all users who have selected the same group can hear the communication.

Cellular services cannot provide group communication functionality. Conference calls in cellular systems are not suitable for the fast-paced group communication needed in field operations by professional users. It is all too clumsy to set-up and the number of members in the conference call is limited.

In addition to predefined groups, a group can be created dynamically over the air during field operations. This is especially important in rescue operations where users from different organisations need to communicate together. The coordinator of the field operations, often called a dispatcher, can place the members into the dynamic group and the new group is created instantly over the air. The members of the newly created group get an indication that they belong to a new dynamic group and by selecting this group, they can start group communication immediately.

2.3 Managing fleet operations – dispatching

A dispatcher is a person who manages the field operations in a PMR network. Typically the dispatcher has a special graphical workstation i.e. dispatcher workstation, which helps to control the communication activities in the field.

For example, in a police organisation the dispatcher manages the radio communication with the mobile units in the field, gives task orders and instructions and receives information from the field force either as voice or data messages. The graphical dispatcher workstation helps him to communicate and get an overview of the status of units in the field.

The main tasks of a dispatcher are:

- keep track of operations, the active members in the operations and if possible, the location of the units participating in the operations
- steer the field operations in order to optimise the performance of the field force
- follow and participate in intra- and inter-group communications and individual calls
- allocate the most suitable units or groups for each task

- exchange status and textual information with the radio users participating in the operations
- create groups dynamically for special incidents
- subscriber management and control of user rights

Efficient dispatching is not possible without a graphical dispatcher workstation. The Nokia TETRA Dispatcher Workstation (DWS) supports all the necessary functionality and dispatcher tasks listed above. The communications activity in each group is shown in its own window, which makes it easy to form an overall picture of field operations. The Nokia TETRA DWS also has administrative functions to create, modify and delete groups and control their user rights.

The Nokia TETRA System has been designed to offer efficient dispatching facilities for both PSS (Public Safety and Security) and professional customers' organisations. The basic functionality serves both user sectors well, but in large public safety networks more advanced command and control systems are typically needed.

2.3.1 Integrated command and control solutions

In addition to the standard TETRA dispatcher workstation, the Nokia TETRA System offers products for developing customised command and control applications for integrated command and control solutions. One of these products is TETRA Communications Server (TCS). It provides the necessary communications and control functions needed to build complex dispatching applications and integrated command and control solutions.

With TCS, third party applications have access to the NTS and are able to:

- control TETRA voice calls
- send and receive status and short data messages and callback requests, as well as messages based on a set of Short Data Service (SDS) protocols
- manage group memberships
- manage groups
- perform tasks related to dynamic data management, i.e. receive updates of data related to TETRA radio subscribers, groups and organisations from the Nokia TETRA exchange

Third party command and control systems using the Nokia TETRA TCS interface are commercially available.

2.4 Security

Commercial cellular services cannot provide the ultimate security needed by professional users. Security consists of several issues:

Reliability

Nokia TETRA can maintain effective radio communications in even the most extreme situations. Where other communications networks may fail, Nokia TETRA's fault-tolerant design can survive the failure of individual network components, and continue to provide an unbroken service.

Availability

In disasters, people's natural reaction is to call their relatives and friends. Public telephony and cellular services can become choked quickly. However, Nokia TETRA has built-in priority mechanisms that can be set up in advance to maintain communication between critical rescue units.

Authentication of users

Authentication is a two-way procedure - on the one hand the TETRA network verifies that the terminal is authentic i.e. really belongs to the network and on the other hand, the TETRA radio makes sure that the network is authentic. Authentication takes place during registration i.e. when the radio terminal is switched on and tries to connect to the network. It consists of sophisticated message exchange between the radio terminal and the network. Authentication of all radios used in the network ensures that fake radios cannot be used. In addition, a TETRA radio can be removed from the list of accepted users as soon as it is reported stolen, so the stolen unit becomes useless.

Secure communication

Conventional analogue radio systems expose all communication to potential eavesdropping. Almost 100% of police forces worldwide still use analogue radio systems that offer no security against eavesdropping. Anyone can listen to police officers' communications with equipment that can be bought from a near-by shop. In Nokia TETRA, security is achieved through strict authentication of the radios used in the network and encrypted communication, which uses frequently changing encryption keys. These effectively prevent unauthorised access to the network and eavesdropping on communication.

Direct mode operation and base station fallback

Direct mode operation (DMO) is a special operating mode in a TETRA terminal, in which TETRA radios can communicate directly with each other without the TETRA network. DMO enables communication in areas where network coverage is not available, for example in the basement of a building, where radio waves cannot propagate. This feature is very important for firemen, who have to communicate in extreme conditions.

Base station fallback in turn enables communication within the coverage area of a certain base station if the link between the TETRA base station and TETRA exchange is lost e.g. due to cable damage.

2.5 Frequency efficient technology

Frequency spectrum is a limited resource and hence frequency efficiency has become increasingly important. In a trunked radio system such as TETRA, the radio channels are in a common pool and the TETRA system automatically allocates the radio channels to the radio users at the beginning of each call. This automatic channel allocation from a common pool is called trunking and systems using this method are called trunked mobile radio systems.

TETRA is based on digital Time Division Multiple Access (TDMA) technology. One 25 kHz wide TETRA carrier occupies four time slots or channels for communication. Old analogue systems are typically based on frequency modulation and one channel typically occupies either a 12.5 kHz or 25 kHz carrier. Hence TETRA is two-to-four times more frequency efficient than analogue conventional systems.

Nokia TETRA is available on three different frequency bands. In Europe the frequency band 380-400 MHz is reserved for public safety and security use. The 410-430 MHz band in turn is reserved for commercial PMR use.

Outside Europe, the 800MHz band has become a dominant frequency band for TETRA.

3 Data services in Nokia TETRA

3.1 Instant access to data

In addition to efficient voice communication services, Nokia TETRA provides versatile data services. These include short data similar to text messaging in GSM networks and status messaging, which is an extremely efficient way to send frequently used status information such as 'On duty', 'Off-duty', 'At lunch' etc.

TETRA data can occupy either a single time slot (channel) or multiple time slots for data transmission. Single slot data provides approximately 4 - 4.5 kbit/s net speed when using IP packet data transmission. In the future higher data speeds can be used using multiple time slots for transmission, the same as in GPRS.

In daily authority communication, data volumes are relatively low and the data speed provided by TETRA covers more than 90% of the needs of professional users. The majority of the data applications consist of database queries, where instant access to the data and ease of use are more important than high data speeds. In TETRA, the connection set-up time i.e. transaction overhead is very short. This, combined with the ease of use provided by Nokia TETRA professional WAP, makes TETRA an efficient tool for professional users. Complementary technologies such as GPRS, 3G or WLAN can be used for specialised applications such as full motion video or high volume file transmission.

TETRA also offers powerful Internet Protocol communications. TETRA can be used to send photos or other graphical information from the field to command and controls centres, or vice versa, to give additional information and a better overall picture of the situation.



Figure 1. TETRA data applications open new opportunities in daily operations

3.2 Professional WAP

Wireless Access Protocol (WAP) is an open standard, which enables professional users to easily access Web-based information services on the Internet or intranet from the keypad and screen of their mobile radios. For example, a policeman can retrieve vehicle information by entering the license number of the car. The WAP service will return the requested information to the display of the radio terminal. Maintenance of WAP services is easy, because all applications are maintained in the WAP servers and hence there is no need to update the terminals individually if the application changes.

Internet and intranet capability allows field officers to access authority databases to view vital information. TETRA's professional WAP service makes it easy to use applications with a radio terminal, without the need for external computers.




Figure 2. TETRA data services and professional WAP enable easy-to-use applications

Professional WAP complements the effective group communication and dispatching features in TETRA. It reduces the workload of the dispatchers by giving users direct access to information without a dispatcher's contribution. Traditionally, a radio user calls the dispatcher who in turn retrieves the required information from a database using a separate computer. With professional WAP, the radio user can retrieve the information himself directly from the database and get the answer on the display of his radio terminal without dispatcher intervention. This not only reduces the dispatcher's workload but also frees radio resources for other communication.

3.3 Value added third party applications

Third party applications complement the functionality and services in Nokia TETRA networks. The TETRA Wireless Solution Partner (TWISP) programme is an extensive Nokia TETRA partner programme, which makes detailed technical documentation, knowledge bases and simulator tools available to partners developing applications for Nokia TETRA networks. The TWISP programme and partner network also provides an excellent framework for global co-marketing and sales promotion.

3.4 Complete solution portfolio

Professional TETRA customers look for a complete solution comprising the core network functionality complemented by add-on applications, which will provide a seamless working environment for daily operations. For example, in public safety networks, call recording, Automatic Vehicle Location (AVL) and information management are areas that need to be considered as a part of the overall system. Third party companies also help to integrate these diverse applications into an easily manageable integrated solution such as a command and control system.

In commercial TETRA networks, third party applications and solutions help operators to differentiate themselves from competitors. Voice mail, AVL, advanced dispatching, telemetry and diverse professional WAP applications are examples of these kinds of differentiating solutions. On the other hand the operator needs third party supportive applications to run the operator service effectively. This includes customer care and billing, call statistics and network performance analysis applications.

3.5 TWISP – a worldwide network of solutions

The Nokia TETRA Wireless Solution Partner (TWISP) programme helps third party application developers by providing them with detailed technical documentation about TETRA WAP, IP packet data and Application Programming Interfaces (API), such as the TETRA Communication Server (TCS), Customer Care API (CUS API) and Short Data Service Interface (SDSI).

The TWISP programme makes detailed information, simulation tools and documentation about these interfaces available to the application development houses and system vendors.

End user organisations benefit from the TWISP programme by getting the latest information about available solutions worldwide so they can select the best solution portfolio from among proven, tested solutions.

The TWISP programme, which is free for certified partners and has no membership fee, already has more than 170 partners. More information about the TWISP programme can be found on the Nokia TETRA web pages.

4

From a system to a solution – The Whole Product

In large public safety and security networks the radio communication system is an essential part of the overall solution. However, even more important is the seamless integration of all required subsystems into a working, easy-to-use and easy-to-manage solution. The spectrum of subsystems includes an advanced call-taking subsystem to handle fixed line calls, a variety of information management systems and databases, digital maps, automatic vehicle location system, call recording and finally the radio network itself with advanced dispatching and command and control system. The latter integrates the various subsystems into a more easily manageable entity for the dispatchers.

4.1

Nokia TETRA - the wireless backbone of a public safety communication system

Radio systems are still the backbone in a modern public safety and security network, because the field operations rely entirely on its functionality and reliability. The supportive systems mentioned above are imperative to carry out the field operations effectively, but many of these rely on the radio network in communication between the control centres and the field workforce. For example, an AVL system uses the radio network to transmit the vehicle location from the vehicle to the AVL system, radio users access databases using WAP or a short data service. The call recording system needs to interface with the call-taking system and radio system to record voice communication.

For the above mentioned reasons, the radio system used in modern public safety and security networks must have the necessary open interfaces to connect external third party systems to the radio network and enable them to use the network services. The Nokia TETRA System has been designed to offer optimised interfaces for the subsystems. These include the Short Data Service Interface (SDSI), TETRA Communications Server (TCS) and Customer Care API (CUS API).

The 'Whole Product' thinking enables efficient and seamless integration of the Nokia TETRA System and the best subsystems and applications in the market into an optimised overall solution for the customer – the Nokia TETRA Solution.

5

Use of multi-agency networks improves efficiency and co-operation between authorities

Until now, public authorities such as the police, fire and ambulance services have each operated their own regional radio networks. This makes co-ordinating emergency responses difficult, especially when an incident covers a wide area. Today's wireless technology now makes it possible to build a single nationwide communications network shared by all the different agencies. Nokia TETRA is the ideal solution for these networks.




Figure 3. Multi-agency TETRA network

5.1

Multi-agency use for seamless co-operation

A single nationwide network makes it easier for different authorities to communicate seamlessly, but each authority must also be able to safeguard its

8

Meeting increasing demands - standardisation work continues

The TETRA standard was introduced as the first truly open system standard for digital Professional Mobile Radio. It was developed by the European Telecommunications Standards Institute (ETSI) and has been rapidly adopted on other continents from the Americas to the Far East. TETRA has been developed together with the end user organisations to ensure it offers the best functionality.

The standardisation work is continuing with additional features to build and improve upon the inherent advantages of TETRA, packet data transmission, spectrum efficiency, high voice quality and extensive coverage reach as well as inter-working with other official mobile communications standards, including GSM, GPRS and UMTS.

THIS PAGE BLANK (USPTO)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

This Page Blank (uspto)